

Commissioner for Patents

AMENDMENTS TO THE CLAIMS

1. (WITHDRAWN) A method for digitizing an intramedullary canal axis of a bone in computer-assisted surgery, comprising the steps of:

performing an opening in a bone to expose an intramedullary canal of the bone;

providing a tool trackable in space for position and orientation and a frame of reference on the bone, said tool having a leading end thereof being positionable in a determined way with respect to a surface of the intramedullary canal; and

obtaining the axis of the intramedullary canal with respect to the frame of reference by calculating and relating reference points in the intramedullary canal by inserting the leading end of the tool at given depths in the intramedullary canal and calculating a reference point of the intramedullary canal for each said given depths as a function of a position and orientation of said tool having the leading end positioned in said determined way.

2. (WITHDRAWN) The method according to claim 1, wherein the method is performed on an anatomical bone model or on a cadaver.

3. (CURRENTLY AMENDED) An apparatus for obtaining an axis of an intramedullary canal of an exposed bone in combination with a tracking system and a computer-assisted surgery system, comprising:

the apparatus comprising:

a detectable device trackable in space;

a stem portion secured to the detectable device so as to be tracked, the stem portion having a leading end insertable in ~~an~~ the intramedullary

Commissioner for Patents

canal of the bone through an opening in the bone, and being adapted to be handled by a following end thereof; and

a tip portion at the leading end of the stem portion, the tip portion having two fingers actuatable from the following end of the stem portion to extend radially from the stem portion with tips of the fingers being equidistantly spaced from the stem portion to center the leading end of the stem portion in the intramedullary canal by contacting ~~the~~ a surface of the intramedullary canal, such that an axis of the intramedullary canal is calculable as a function of ~~the~~ a tracking of the detectable device;

the tracking system for tracking the detectable device; and

the computer-assisted surgery system for determining at least an orientation of the apparatus, and for digitizing ~~an~~ the intramedullary canal of the bone from the orientation of the apparatus when the fingers are actuated into contacting the surface of the intramedullary canal, the computer-assisted surgery system comprising a user interface for outputting data related to the axis of the intramedullary canal from the tracking of the detectable device and from the digitization of the intramedullary canal.

4. (CANCELED)

5. (PREVIOUSLY PRESENTED) The combination according to claim 3, wherein the fingers are pivotally mounted to one another.

6. (PREVIOUSLY PRESENTED) The combination according to claim 3, wherein the fingers are biased to be retracted radially, so as to facilitate an insertion of the stem portion in the intramedullary canal.

Commissioner for Patents

7. (CURRENTLY AMENDED) The combination according to claim 3, further comprising a flared adapter slidably mounted on the stem portion, the flared adapter being flared toward the following end of the stem portion to engage with the surface of the intramedullary canal at the opening of the intramedullary canal, to center the stem portion in the intramedullary canal.

8. (PREVIOUSLY PRESENTED) The combination according to claim 3, wherein the stem portion is graduated on an outer surface thereof to indicate a depth of insertion of the stem portion in the intramedullary canal.